MODEL NO.	"L"	"TL"	"D"	P/N
IAT22SM.7M600	24	.7	.125	24413
IAT21.3SM.7M600	15	.7	.125	24414
IAT.75.9S	11	1.5	.046	20360
IAT.752S	24	1.5	.046	20212
IAT12S	24	1.5	.062	21116
IAT13S	36	1.5	.062	17913
IAT19S	108	1.5	.062	20246
IAT2.5S	6	1.5	.125	20953
IAT2.83S	10	1.5	.125	20954
IAT2.8S	9	1.5	.125	17936
IAT21.33S	16	1.5	.125	20955
IAT21.5S	18	1.5	.125	20956
IAT210S	120	1.5	.125	17925
IAT211S	132	1.5	.125	20862
IAT212S	144	1.5	.125	20381
IAT214S	168	1.5	.125	20412
IAT215S	180	1.5	.125	20020
IAT21S	12	1.5	.125	20683
IAT23S	36	1.5	.125	17307



NOTES:

1. 'M600' SUFFIX INDICATES THAT FIBERS POTTED ON ANGLED END WITH EPOXY THAT OPPERATES IN A MAXIMUM TEMPERATURE OF 600°F [315°C].



NOTES:
1. ALL DIMENSIONS ARE MILLIMETERS [INCHES] UNLESS OTHERWISE NOTED.
2. REFER TO "www.bannerengineering.com" FOR ADDITIONAL DATA AND SPECIFICATIONS.

This drawing is the property of BANNER ENGINEERING CORP. Any use or reproduction, in any form, without prior written permission of Banner is prohibited.
© 2015 Banner Engineering Corp.

THIRD ANGLE PROJECTION

BANNER ENGINEERING CORP.
www.bannerengineering.com

TITLE

IAT2 SERIES SS TERMINATED

SIZE	DRAWING NO.	REV.
B	161907	A
SCALE 3:2	SHEET 1 OF 3	

CREO

ПРОМЭЛЕКТРОНИКА/ sales@prom-elec.com

MODEL NO.	"L"	"TL"	"D"	P/N
IAT23SM600	36	1.5	.125	17859
IAT25SM600	60	1.5	.125	20049
IAT210SM600	120	1.5	.125	20160
IAT26SM600	72	1.5	.125	20376
IAT220SM600	240	1.5	.125	20533
IAT15S	60	1.5	.062	21389
IAT114S	168	1.5	.062	21557
IAT122S	264	1.5	.062	21558
IAT26.5SM600	78	1.5	.125	21684
IAT11.2S	14	1.5	.062	21691
IAT21.3S	15	1.5	.125	21743
IAT14S	48	1.5	.062	21822
IAT1.53S	36	1.5	.090	22078
IAT19.5S	114	1.5	.062	22084
IAT216S	192	1.5	.125	22114
IAT218S	216	1.5	.125	22115
IAT22.5S	30	1.5	.125	22238
IAT23.7S	44	1.5	.125	22264
IAT21.4S	17	1.5	.125	22402
IAT11S	12	1.5	.062	22561
IAT11.5S	18	1.5	.062	00000
IAT23S.9	36	0.88	.125	22659
IAT18S	96	1.5	.062	22741
IAT23.3S	39	1.5	.125	00000
IAT13.3S	39	1.5	.062	00000
IAT28SM600	96	1.5	.125	23070
IAT225SM600	300	1.5	.125	00000
IAT.753S	36	1.5	.046	23208
IAT13SM600	36	1.5	.062	23243
IAT12.5S	30	1.5	.062	23228

MODEL NO.	"L"	"TL"	"D"	P/N
IAT116S	192	1.5	.062	23405
IAT112S	144	1.5	.062	00000
IAT11.5S	18	1.5	.062	24170
IAT225SM600	300	1.5	.125	24214
IAT2.7S	8	1.5	.125	00000
IAT21.7S	20	1.5	.125	24274
IAT240SM600	480	1.5	.125	24300
IAT255SM600	660	1.5	.125	24301
IAT215SM600	180	1.5	.125	24327
IAT23SM2	36	2.0	.125	00000
IAT112S	144	1.5	.062	24395
IAT214SM600	168	1.5	.125	00000
IAT26SMTL	72	.5	.125	00000
IAT22.6S	31	1.5	.125	24566
IAT220S	240	1.5	.125	20527
IAT225S	300	1.5	.125	20342
IAT22S	24	1.5	.125	17296
IAT230S	360	1.5	.125	17891
IAT24S	48	1.5	.125	17818
IAT25S	60	1.5	.125	17945
IAT26S	72	1.5	.125	17374
IAT27S	84	1.5	.125	17308
IAT28S	96	1.5	.125	20397
IAT29S	108	1.5	.125	20674
IAT16S	72	1.5	.062	21234

NOTES:
1. ALL DIMENSIONS ARE MILLIMETERS [INCHES] UNLESS OTHERWISE NOTED.
2. REFER TO "www.bannerengineering.com" FOR ADDITIONAL DATA AND SPECIFICATIONS.

This drawing is the property of BANNER ENGINEERING CORP. Any use or reproduction, in any form, without prior written permission of Banner is prohibited.
© 2015 Banner Engineering Corp.

THIRD ANGLE PROJECTION

BANNER ENGINEERING CORP.
www.bannerengineering.com

TITLE

IAT2 SERIES SS TERMINATED

SIZE	DRAWING NO.	REV.
B	161907	A
SCALE 3:2	SHEET 2 OF 3	

CREO

MODEL NO.	"L"	"TL"	"D"	P/N
IATI.54S	48	1.5	.090	68561
IATI.510S	120	1.5	.090	68562
IATI.56S	72	1.5	.090	68578
IAT23SMTL.5	36	.5	.125	00000
IAT21.3SM600	15	1.5	.125	70790
IAT27.5S	90	1.5	.125	71136
IAT23.5S	42	1.5	.125	71403
IAT23.5SMTL4.5	42	4.5	.125	71673
IATII.33S	16	1.5	.062	00000
IAT215SMI	180	1.0	.125	72249
IAT250S	600	1.5	.125	72318
IATIISM.75	12	.75	.062	75303
IAT240S	480	1.5	.125	00000
IAT2.6S	7	1.5	.125	23428
IAT.75.5S	6	1.5	.046	00000
IAT.443S	36	1.5	.027	23569
IATI.7S	8	1.5	.062	23570
IAT212SM600	144	1.5	.125	23571
IAT27SM600	84	1.5	.125	23572
IAT.53S	36	1.5	.032	23613
IAT217S	204	1.5	.125	23637
IATI3SM.75	36	.75	.062	00000
IAT260S	720	1.5	.125	00000
IAT219S	228	1.5	.125	23808
IAT.756S	72	1.5	.046	23838
IAT21.6S	19	1.5	.125	23851
IAT24.5S	54	1.5	.125	00000
IATI7S	84	1.5	.062	23962
IATI40SM600	480	1.5	.062	24024
IATI45SM600	540	1.5	.062	24025

MODEL NO.	"L"	"TL"	"D"	P/N
IAT221.5S	258	1.5	.125	00000
IAT230SM600	360	1.5	.125	24891
IAT.754S	48	1.5	.046	24680
IATI6SM600	72	1.5	.062	24700
IATI30S	360	1.5	.062	00000
IAT29SM600	108	1.5	.125	24884
IAT2.83SM600	10	1.5	.125	00000
IAT.750S	120	1.5	.046	24909
IAT226.3S	315	1.5	.125	00000
IAT21.4SMTL	17	.5	.125	24920
IAT221S	252	1.5	.125	59276
IATII.4S	17	1.5	.062	62302
IATII.5SM.75	18	.75	.062	64367
IAT213SM600	156	1.5	.125	00000
IAT.754S	168	1.5	.046	00000
IAT21.2S	14	1.5	.125	68560
IATII0S	120	1.5	.062	83360
IAT22SM600	24	1.5	.125	00000
IAT226.3SM600	315	1.5	.125	00000
IAT.56S	72	1.5	.032	00000
IATI.5SM.75	6	.75	.062	00000
IAT21.5SM.75	18	.75	.125	11838
IAT21SM.79	12	.79	.125	00000
IAT245S	540	1.5	.125	97581

NOTES:
1. ALL DIMENSIONS ARE MILLIMETERS [INCHES] UNLESS OTHERWISE NOTED.
2. REFER TO "www.bannerengineering.com" FOR ADDITIONAL DATA AND SPECIFICATIONS.

This drawing is the property of BANNER ENGINEERING CORP. Any use or reproduction, in any form, without prior written permission of Banner is prohibited.
© 2015 Banner Engineering Corp.

THIRD ANGLE PROJECTION

BANNER ENGINEERING CORP.
www.bannerengineering.com

TITLE

IAT2 SERIES SS TERMINATED

SIZE	DRAWING NO.	REV.
B	161907	A
SCALE 3:2	SHEET 3 OF 3	

CREO