



4



3


2





1




SECTION A-A




General Tolerance UNI EN 22768/1 Media (m)					Sheet:		
from 0.5 to 3	from 3 to 6	from 6 to 30	from 30 to 120	from 120 to 400	1		
± 0.1	± 0.1	± 0.2	± 0.3	± 0.5			
Scale:	Drawn:	Checked:	Date:	Material:	Process:		
1:1	M.S.	R.N.	09/08/2023	PC/ABS	INJECTION		
 Dimension in mm	The present drawing cannot be reproduced or communicated to 3d parties, even partially, without the authorization of ITALTRONIC Srl. Italtronic reserves to protect its own rights according to the law.	Replaces the:	Derived from:	Weight:	Cod. Mold:		
		R-00142-00	--	2.56 gr	ST.1009100		
 enclosures for electronics italtronic.com Description: PANNELLO INTERNO RAILBOX 17 MM CON SEDI LED INTERNAL PANEL 17MM Drawing nr.: 2_110_00043							
					Rev.:	A4	
					00		





KIT ASSEMBLY 22.5







KIT ASSEMBLY 45




General Tolerance UNI EN 22768/1 Media (m)					Sheet:
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	1
Scale: 2:1	Drawed: R.N.	Checked: R.N.	Date: 07/06/2024	Material: PC/ABS	Process: INJECTION
 Dimension in mm		Derived from:		Weight: 0.98 gr	Cod. Mold: ST.10001024
 enclosures for electronics italtronic.com			Description: COPRIFESSURA FRATTURABILE RAILBOX XT VERTICAL HOLE COVER RAILBOX XT VERTICAL BREAKABLE		
Drawing nr.: 2_110_00128					Rev.: 00 A3




SECTION B-B




KIT ASSEMBLY 45





SECTION A-A




General Tolerance UNI EN 22768/1 Media (m)					Sheet:
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	1
Scale:	Drawed:	Checked:	Date:	Material:	Process:
1:1	R.N.	R.N.	07/06/2024	PC/ABS	INJECTION
	The present drawing cannot be reproduced or communicated to parties, even partially, without the authorization of ITALTRONIC. All copyright according to the law.		Derived from:	Weight:	Cod. Mold:
Dimension in mm				25.65 gr	ST.10031023
			Description: COPERCHIO RAILBOX XT VERTICAL 10 MM COVER RAILBOX XT VERTICAL 10 MM		
enclosures for electronics			Drawing nr.:		
italtronic.com			2_110_00127		
				Rev.:	00
					A2




SECTION B-B




KIT ASSEMBLY 22.5





SECTION A-A




General Tolerance UNI EN 22768/1 Media (m)					Sheet:
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	2
Scale:	Drawed:	Checked:	Date:	Material:	Process:
1:1	R.N.	R.N.	07/06/2024	PC/ABS	INJECTION
	The present drawing cannot be reproduced or converted to 3d models, even partially, without the written or electronic authorization of Italtronic, in order to protect its intellectual property according to the law.		Derived from:	Weight:	Cod. Mold:
Dimension in mm				25.65 gr	ST.10031023
 enclosures for electronics italtronic.com			Description: COPERCHIO RAILBOX XT VERTICAL 10 MM COVER RAILBOX XT VERTICAL 10 MM		
Drawing nr.:			Rev.:		
2_110_00127			00 A2		
3		2		1	





SECTION B-B








KIT ASSEMBLY 22.5



SECTION A-A






General Tolerance UNI EN 22768/1 Media (m)					Sheet:
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	2
Scale:	Drawn:	Checked:	Date:	Material:	Process:
1:1	R.N.	R.N.	07/06/2024	PC/ABS	INJECTION
Derived from:				Weight:	Cod. Mold:
				25.31 gr	ST.10011022
Description: BASE RAILBOX XT VERTICAL BASE RAILBOX XT VERTICAL					Rev.:
Drawing nr.: 2_110_00126					01 A2







KIT ASSEMBLY 22.5

KIT ASSEMBLY 45



General Tolerance UNI EN 22768/1 Media (m)					Sheet:
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	1
Scale: 2:1	Drawed: R.N.	Checked: R.N.	Date: 05/11/2024	Material: PC/ABS	Process: INJECTION
Dimension in mm		Derived from:		Weight: 1.34 gr	Cod. Mold: ST.10001020
 enclosures for electronics italtronic.com		Description: GANCIO RAILBOX XT HOOK RAILBOX XT			
		Drawing nr.: 2_110_00136			Rev.: 00 A3



General Tolerance UNI EN 22768/1 Media (m)					Sheet:	
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	1	
Scale: 1:1	Drawed: M.S.	Checked: R.N.	Date: 01/09/2023	Material: PC		
 Dimension in mm	The present drawing cannot be reproduced or communicated to 3d parties, even partially, without the authorization of ITALTRONIC Srl. Italtronic reserves to protect its own rights according to the law.	Replaces the: R-00166-02	Derived from: --	Weight: 3.01 gr	Cod. Mold: ST.1009002	
 enclosures for electronics italtronic.com						
Description: SPORTELLO FRONTALE RAILBOX 17 MM FRONT HINGED TRANSPARENT PANEL 17 MM Drawing nr.: 2_110_00072						
					Rev.: 00	A4