EAN:	4013288205643	**Size:**	335x110x65 mm
Part number:	05130110001	**Weight:**	1115 g
Article number:	Click-Torque A 6 Set 1	**Country of origin:**	CZ
		Customs tariff number:	82041200

- Easy setting and saving of the desired torque value with audible and tactile click when the scale value is reached (click 1)
- Safely quantified force: when the set value is reached, the torque wrench triggers audibly and noticeably (click 2)
- Precise to ± 4% as per DIN EN ISO 6789-1:2017-07.
- Set including socket adapter and extension
- Robust surface-protecting, compact, textile box

Web link
https://products.wera.de/en/torque_tools_series_click-torque_wrenches_click-torque_torque_wrenches_with_reversible_ratchet_click-torque_a_6_set_1.html

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

sales@prom-elec.com / ООО ПРОМЭЛЕКТРОНИКА

Click torque wrench in the unmistakable Wera design. Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default value. The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached. Provides clockwise torque-control and 45-tooth ratchet mechanism. The Wera click torque wrench is accompanied with various accessories in a compact set arrangement. Included are: Click-Torque A 6 1/4 „ from 2.5 to 25 Nm, 6 sockets with 1/4" drive, 11 Hex-Plus hexagon bits, Philips head bits and TORX® bits, plus an extension and socket adaptor.

Web link
https://products.wera.de/en/torque_tools_series_click-torque_wrenches_click-torque_torque_wrenches_with_reversible_ratchet_click-torque_a_6_set_1.html

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Set contents:

Click-Torque A 6
05075605001 1 x 1/4" x 2.5-25 Nm

867/4 Z TORX®
05060133001 1 x TX 15 x 50 mm
05060134001 1 x TX 20 x 50 mm
05060135001 1 x TX 25 x 50 mm
05060136001 1 x TX 27 x 50 mm
05060137001 1 x TX 30 x 50 mm
05060138001 1 x TX 40 x 50 mm

870/1
05136000001[1] 1 x 1/4" x 25 mm
1) With friction ball; for manual nut spinner sockets



8790 HMA
05003505001 1 x 6 x 23 mm
05003506001 1 x 7 x 23 mm
05003507001 1 x 8 x 23 mm
05003509001 1 x 10 x 23 mm
05003511001 1 x 12 x 23 mm
05003512001 1 x 13 x 23 mm

851/4 TZ PH
05059810001 1 x PH 2 x 50 mm

840/4 Z Hex-Plus
05059605001 1 x 3 x 50 mm
05059610001 1 x 4 x 50 mm
05059615001 1 x 5 x 50 mm
05059620001 1 x 6 x 50 mm

8794 SA
05003525001 1 x 1/4" x 75 mm

K240
11990178 1 x 240 x 50 mm

Click Torque wrench set 1/4" with double click.

Click-Torque Wrench series

We wanted working with torque wrenches to be simple and accurate which is why we developed the Click-Torque wrenches. With the ability to set and save the default values and with the unmistakable, robust Wera design, these torque wrenches are the ideal tools for all bolting applications that require torque-controlled tightening (clockwise torque wrenches) and tightening and loosening (torque wrenches for insert tools).

Click-Torque A 6

With 1/4" hex drive.

Exact

Precise to ± 4% as per DIN EN ISO 6789-1:2017-07.

Web link
https://products.wera.de/en/torque_tools_series_click-torque_wrenches_click-torque_torque_wrenches_with_reversible_ratchet_click-torque_a_6_set_1.html

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Simple and safe

Easy setting and saving of the desired torque value; readable on the main and fine scales.

Simple setting

With audible and tactile clicks when adjusting the scale values.

Release mechanism



When the set torque value is reached, an audible and tactile mechanism triggers.

Manual and machine sockets

The manual and machine sockets can be used both for hand and power tools use (non-impact). Users need just one socket set for all applications.

Web link
https://products.wera.de/en/torque_tools_series_click-torque_wrenches_click-torque_torque_wrenches_with_reversible_ratchet_click-torque_a_6_set_1.html

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de