





CKT SIZE	DIM. " A "		DIM. " B " ^{(+0.20 -0.35 +0.008 -0.014}		CKT SIZE	DIM. " A "		DIM. " B " ^{(± 0.20 ± .008}	
2X 1			(2.54) .100		2X21	(50.80) 2.000		(53.34) 2.100	
2X 2	(2.54) .100		(5.08) .200		2X22	(53.34) 2.100		(55.88) 2.200	
2X 3	(5.08) .200		(7.62) .300		2X23	(55.88) 2.200		(58.42) 2.300	
2X 4	(7.62) .300		(10.16) .400		2X24	(58.42) 2.300		(60.96) 2.400	
2X 5	(10.16) .400		(12.70) .500		2X25	(60.96) 2.400		(63.50) 2.500	
2X 6	(12.70) .500		(15.24) .600		2X26	(63.50) 2.500		(66.04) 2.600	
2X 7	(15.24) .600		(17.78) .700		2X27	(66.04) 2.600		(68.58) 2.700	
2X 8	(17.78) .700		(20.32) .800		2X28	(68.58) 2.700		(71.12) 2.800	
2X 9	(20.32) .800		(22.86) .900		2X29	(71.12) 2.800		(73.66) 2.900	
2X10	(22.86) .900		(25.40) 1.000		2X30	(73.66) 2.900		(76.20) 3.000	
2X11	(25.40) 1.000		(27.94) 1.100		2X31	(76.20) 3.000		(78.74) 3.100	
2X12	(27.94) 1.100		(30.48) 1.200		2X32	(78.74) 3.100		(81.28) 3.200	
2X13	(30.48) 1.200		(33.02) 1.300		2X33	(81.28) 3.200		(83.82) 3.300	
2X14	(33.02) 1.300		(35.56) 1.400		2X34	(83.82) 3.300		(86.36) 3.400	
2X15	(35.56) 1.400		(38.10) 1.500		2X35	(86.36) 3.400		(88.90) 3.500	
2X16	(38.10) 1.500		(40.64) 1.600		2X36	(88.90) 3.500		(91.44) 3.600	
2X17	(40.64) 1.600		(43.18) 1.700		2X37	(91.44) 3.600		(93.98) 3.700	
2X18	(43.18) 1.700		(45.72) 1.800		2X38	(93.98) 3.700		(96.52) 3.800	
2X19	(45.72) 1.800		(48.26) 1.900		2X39	(96.52) 3.800		(99.06) 3.900	
2X20	(48.26) 1.900		(50.80) 2.000		2X40	(99.06) 3.900		(101.60) 4.000	

NOTES

1. FOR ASSY NUMBERS WITH FINISH OPTIONS
AND DIM' S C & D SEE SHEETS 2 TO 6.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED				molex			
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)				C-GRID III DUAL ROW RIGHT ANGLE HEADER							
		MM	INCH								
4 PLACES		±	±	EC NO: 615440		2019/04/11		PRODUCT CUSTOMER DRAWING			
3 PLACES		±	±	DRWN: MKP		2019/04/11					
2 PLACES		±	0.05 ± 0.002	CHK'D: NMANE02		2019/04/12					
1 PLACE		±	±	APPR: MRAMAKRISHNA		2019/04/12		DOCUMENT NUMBER SDA-90122			
0 PLACES		±	±	INITIAL REVISION:						DOC TYPE PSD	
				DRWN: DB		16/07/87				DOC PART 001	
ANGULAR TOL		±	°	APPR: DB		1987/07/16		REVISION M3			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
						A3-SIZE	90122	SEE TABLE	GENERAL MARKET	1 OF 6	

NOTES
2. RECOMMENDED PCB THICKNESS: 1.6MM
3. PRODUCT SPECIFICATION: PS-99020-0001

DOCUMENT STATUS	P1	RELEASE DATE	2019/04/12	12:54:07
-----------------	----	--------------	------------	----------

10		9	8	7	6	5	4	3	2	1
F		CIRCUIT SIZE	PLATING TYPE A PART NO.	PLATING TYPE E PART NO.	PLATING TYPE F PART NO.					
		2 X 1	90122-0121	90122-0761	90122-0921					
		2 X 2	▲ -0122	▲ -0762	▲ -0922					
		2 X 3	-0123	-0763	-0923					
		2 X 4	-0124	-0764	-0924					
E		2 X 5	-0125	-0765	-0925					
		2 X 6	-0126	-0766	-0926					
		2 X 7	-0127	-0767	-0927					
		2 X 8	-0128	-0768	-0928					
		2 X 9	-0129	-0769	-0929					
	DIM C ^(± 0.20) ± .008 (6.75) .266	2 X 10	-0130	-0770	-0930					
		2 X 11	-0131	-0771	-0931					
		2 X 12	-0132	-0772	-0932					
		2 X 13	-0133	-0773	-0933					
		2 X 14	-0134	-0774	-0934					
D		2 X 15	-0135	-0775	-0935					
		2 X 16	-0136	-0776	-0936					
		2 X 17	-0137	-0777	-0937					
		2 X 18	-0138	-0778	-0938					
		2 X 19	-0139	-0779	-0939					
	DIM D ^(± 0.25) ± .010 (2.90) .114	2 X 20	-0140	-0780	-0940					
		2 X 21	-0141	-0781	-0941					
		2 X 22	-0142	-0782	-0942					
		2 X 23	-0143	-0783	-0943					
		2 X 24	-0144	-0784	-0944					
C		2 X 25	-0145	-0785	-0945					
		2 X 26	-0146	-0786	-0946					
		2 X 27	-0147	-0787	-0947					
		2 X 28	-0148	-0788	-0948					
		2 X 29	-0149	-0789	-0949					
		2 X 30	-0150	-0790	-0950					
		2 X 31	-0151	-0791	-0951					
		2 X 32	-0152	-0792	-0952					
		2 X 33	-0153	-0793	-0953					
		2 X 34	-0154	-0794	-0954					
B		2 X 35	-0155	-0795	-0955					
		2 X 36	-0156	-0796	-0956					
		2 X 37	-0157	-0797	-0957					
		2 X 38	-0158	-0798	-0958					
		2 X 39	▼ -0159	▼ -0799	▼ -0959					
		2 X 40	90122-0160	90122-0800	90122-0960					

NOTES:
FOR PLATING VARIATIONS SEE
ENG.STD. SDES-99000-0003.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED			molex								
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 615440 DRWN: MKP 2019/04/11 CHK'D: NMANE02 2019/04/12 APPR: MRAMAKRISHNA 2019/04/12			C-GRID III DUAL ROW RIGHT ANGLE HEADER								
		MM								INCH					
4 PLACES	±		±												
3 PLACES	±		±												
2 PLACES	±	0.05	± 0.002												
1 PLACE	±		±	INITIAL REVISION: DRWN: DB 16/07/87 APPR: DB 1987/07/16			PRODUCT CUSTOMER DRAWING								
0 PLACES	±		±												
ANGULAR TOL ± °							DOCUMENT NUMBER								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		90122		SEE TABLE		GENERAL MARKET		2 OF 6	

10		9		8		7		6		5		4		3		2		1									
F		CIRCUIT SIZE		PLATING TYPE A PART NO.		PLATING TYPE E PART NO.		PLATING TYPE F PART NO.				CIRCUIT SIZE		PLATING TYPE A PART NO.		PLATING TYPE E PART NO.		PLATING TYPE F PART NO.		F							
				90122-0041		90122-0681		90122-0841						90122-0081		90122-0721		90122-0881									
				▲ -0042		▲ -0682		▲ -0842						▲ -0082		▲ -0722		▲ -0882									
				-0043		-0683		-0843						-0083		-0723		-0883									
				-0044		-0684		-0844						-0084		-0724		-0884									
				-0045		-0685		-0845						-0085		-0725		-0885									
				-0046		-0686		-0846						-0086		-0726		-0886									
				-0047		-0687		-0847						-0087		-0727		-0887									
				-0048		-0688		-0848						-0088		-0728		-0888									
				-0049		-0689		-0849						-0089		-0729		-0889									
				-0050		-0690		-0850						-0090		-0730		-0890									
				-0051		-0691		-0851						-0091		-0731		-0891									
				-0052		-0692		-0852						-0092		-0732		-0892									
				-0053		-0693		-0853						-0093		-0733		-0893									
				-0054		-0694		-0854						-0094		-0734		-0894									
				-0055		-0695		-0855						-0095		-0735		-0895									
E		DIM C ^{(±0.20) ±.008} (5.75) .226		-0056		-0696		-0856				-0096		-0736		-0896				E							
				-0057		-0697		-0857				-0097		-0737		-0897											
				-0058		-0698		-0858				-0098		-0738		-0898											
				-0059		-0699		-0859				-0099		-0739		-0899											
				-0060		-0700		-0860				-0100		-0740		-0900											
				-0061		-0701		-0861				-0101		-0741		-0901											
				-0062		-0702		-0862				-0102		-0742		-0902											
				-0063		-0703		-0863				-0103		-0743		-0903											
				-0064		-0704		-0864				-0104		-0744		-0904											
				-0065		-0705		-0865				-0105		-0745		-0905											
				-0066		-0706		-0866				-0106		-0746		-0906											
				-0067		-0707		-0867				-0107		-0747		-0907											
				-0068		-0708		-0868				-0108		-0748		-0908											
				-0069		-0709		-0869				-0109		-0749		-0909											
				-0070		-0710		-0870				-0110		-0750		-0910											
				D		DIM D ^{(±0.25) ±.010} (2.90) .114		-0071		-0711		-0871				-0111		-0751				-0911				D	
-0072		-0712						-0872				-0112		-0752		-0912											
-0073		-0713						-0873				-0113		-0753		-0913											
-0074		-0714						-0874				-0114		-0754		-0914											
-0075		-0715						-0875				-0115		-0755		-0915											
-0076		-0716						-0876				-0116		-0756		-0916											
-0077		-0717						-0877				-0117		-0757		-0917											
-0078		-0718						-0878				-0118		-0758		-0918											
▼ -0079		▼ -0719						▼ -0879				▼ -0119		▼ -0759		▼ -0919											
90122-0080		90122-0720						90122-0880				90122-0120		90122-0760		90122-0920											
C								-0081		-0721		-0881				-0121		-0761		-0921				C			
								-0082		-0722		-0882				-0122		-0762		-0922							
								-0083		-0723		-0883				-0123		-0763		-0923							
								-0084		-0724		-0884				-0124		-0764		-0924							
								-0085		-0725		-0885				-0125		-0765		-0925							
								-0086		-0726		-0886				-0126		-0766		-0926							
				-0087		-0727		-0887				-0127		-0767		-0927											
				-0088		-0728		-0888				-0128		-0768		-0928											
				-0089		-0729		-0889				-0129		-0769		-0929											
				-0090		-0730		-0890				-0130		-0770		-0930											
				-0091		-0731		-0891				-0131		-0771		-0931											
				-0092		-0732		-0892				-0132		-0772		-0932											
				-0093		-0733		-0893				-0133		-0773		-0933											
				-0094		-0734		-0894				-0134		-0774		-0934											
				-0095		-0735		-0895				-0135		-0775		-0935											
				B				-0096		-0736		-0896				-0136		-0776		-0936						B	
-0097		-0737						-0897				-0137		-0777		-0937											
-0098		-0738						-0898				-0138		-0778		-0938											
-0099		-0739						-0899				-0139		-0779		-0939											
-0100		-0740						-0900				-0140		-0780		-0940											
-0101		-0741						-0901				-0141		-0781		-0941											
-0102		-0742						-0902				-0142		-0782		-0942											
-0103		-0743						-0903				-0143		-0783		-0943											
-0104		-0744						-0904				-0144		-0784		-0944											
-0105		-0745						-0905				-0145		-0785		-0945											
-0106		-0746						-0906				-0146		-0786		-0946											
-0107		-0747						-0907				-0147		-0787		-0947											
-0108		-0748						-0908				-0148		-0788		-0948											
-0109		-0749						-0909				-0149		-0789		-0949											
-0110		-0750						-0910				-0150		-0790		-0950											
A								-0111		-0751		-0911				-0151		-0791		-0951				A			
				-0112		-0752		-0912				-0152		-0792		-0952											
				-0113		-0753		-0913				-0153		-0793		-0953											
				-0114		-0754		-0914				-0154		-0794		-0954											
				-0115		-0755		-0915				-0155		-0795		-0955											
				-0116		-0756		-0916				-0156		-0796		-0956											
				-0117		-0757		-0917				-0157		-0797		-0957											
				-0118		-0758		-0918				-0158		-0798		-0958											
				▼ -0119		▼ -0759		▼ -0919				▼ -0159		▼ -0799		▼ -0959											
				90122-0120		90122-0760		90122-0920				90122-0160		90122-0800		90122-0960											
				B				-0121		-0761		-0921				-0161		-0801		-0961						B	
								-0122		-0762		-0922				-0162		-0802		-0962							
								-0123		-0763		-0923				-0163		-0803		-0963							
								-0124		-0764		-0924				-0164		-0804		-0964							
								-0125		-0765		-0925				-0165		-0805		-0965							
								-0126		-0766		-0926				-0166		-0806		-0966							
-0127		-0767						-0927				-0167		-0807		-0967											
-0128		-0768						-0928				-0168		-0808		-0968											
-0129		-0769						-0929				-0169		-0809		-0969											
-0130		-0770						-0930				-0170		-0810		-0970											
-0131		-0771						-0931				-0171		-0811		-0971											
-0132		-0772						-0932				-0172		-0812		-0972											
-0133		-0773						-0933				-0173		-0813		-0973											
-0134		-0774						-0934				-0174		-0814		-0974											
-0135		-0775						-0935				-0175		-0815		-0975											
A								-0136		-0776		-0936				-0176		-0816		-0976				A			
				-0137		-0777		-0937				-0177		-0817		-0977											
				-0138		-0778		-0938				-0178		-0818		-0978											
				-0139		-0779		-0939				-0179		-0819		-0979											
				-0140		-0780		-0940				-0180		-0820		-0980											
				-0141		-0781		-0941				-0181		-0821		-0981											
				-0142		-0782		-0942				-0182		-0822		-0982											
				-0143		-0783		-0943				-0183		-0823		-0983											
				-0144		-0784		-0944				-0184		-0824		-0984											
				-0145		-0785		-0945				-0185		-0825		-0985											
				-0146		-0786		-0946				-0186		-0826		-0986											
				-0147		-0787		-0947				-0187		-0827		-0987											
				-0148		-0788		-0948				-0188		-0828		-0988											
				-0149		-0789		-0949				-0189		-0829		-0989											
				-0150		-0790		-0950				-0190		-0830		-0990											

NOTES:
FOR PLATING VARIATIONS SEE
ENG.STD. SDES-99000-0003.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

MM

INCH

4 PLACES

±

±

3 PLACES

±

±

2 PLACES

±

0.05

±

0.002

1 PLACE

±

±

0 PLACES

±

±

ANGULAR TOL

±

°

CURRENT REV DESC: MIGRATED

EC NO: 615440

DRWN: MKP

CHK'D: NMANE02

APPR: MRAMAKRISHNA

2019/04/11

2019/04/12

2019/04/12

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SDA-90122

DOC TYPE

PSD

DOC PART

001

REVISION

M3

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

90122

MATERIAL NUMBER

SEE TABLE

CUSTOMER

GENERAL MARKET

SHEET NUMBER

3 OF 6

10		9		8		7		6		5		4		3		2		1																																																																																																																																																											
DIM C^(± 0.20) ± .008 (6 .75) .266 DIM D^(± 0.25) ± .010 (4 .50) .177		CIRCUIT SIZE		PLATING TYPE A PART NO.		PLATING TYPE E PART NO.		PLATING TYPE F PART NO.																																																																																																																																																																					
		2 X 1		90122-0161		90122-0801		90122-0961																																																																																																																																																																					
		2 X 2		▲ -0162		▲ -0802		▲ -0962																																																																																																																																																																					
		2 X 3																																																																																																																																																																											
		2 X 4																																																																																																																																																																											
		2 X 5																																																																																																																																																																											
		2 X 6																																																																																																																																																																											
		2 X 7																																																																																																																																																																											
		2 X 8																																																																																																																																																																											
		2 X 9																																																																																																																																																																											
		2 X 10																																																																																																																																																																											
		2 X 11																																																																																																																																																																											
		2 X 12																																																																																																																																																																											
		2 X 13																																																																																																																																																																											
		2 X 14																																																																																																																																																																											
		2 X 15																																																																																																																																																																											
		2 X 16																																																																																																																																																																											
		2 X 17																																																																																																																																																																											
		2 X 18																																																																																																																																																																											
		2 X 19																																																																																																																																																																											
		2 X 20																																																																																																																																																																											
		2 X 21																																																																																																																																																																											
		2 X 22																																																																																																																																																																											
		2 X 23																																																																																																																																																																											
		2 X 24																																																																																																																																																																											
		2 X 25																																																																																																																																																																											
		2 X 26																																																																																																																																																																											
		2 X 27																																																																																																																																																																											
		2 X 28																																																																																																																																																																											
		2 X 29																																																																																																																																																																											
		2 X 30																																																																																																																																																																											
		2 X 31																																																																																																																																																																											
		2 X 32																																																																																																																																																																											
		2 X 33																																																																																																																																																																											
		2 X 34																																																																																																																																																																											
		2 X 35																																																																																																																																																																											
		2 X 36																																																																																																																																																																											
		2 X 37																																																																																																																																																																											
		2 X 38																																																																																																																																																																											
		2 X 39		▼ -0199		▼ -0839		▼ -0999																																																																																																																																																																					
2 X 40		90122-0200		90122-0840		90122-1000																																																																																																																																																																							
NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003.																																																																																																																																																																													
<table><tr><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="4">CURRENT REV DESC: MIGRATED</td><td colspan="6" rowspan="4"> mo C-GRID III DUAL ROW RIGHT ANGLE HEADER </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">4 PLACES</td><td>±</td><td>±</td><td colspan="4">EC NO: 615440</td><td colspan="6" rowspan="3">DOCUMENT NUMBER</td><td colspan="2">DOC TYPE</td><td colspan="2">DOC PART</td><td colspan="2">REVISION</td></tr><tr><td colspan="2">3 PLACES</td><td>±</td><td>±</td><td colspan="4">DRWN: MKP 2019/04/11</td><td colspan="2">PSD</td><td colspan="2">001</td><td colspan="2">M3</td></tr><tr><td colspan="2">2 PLACES</td><td>±</td><td>0.05 ± 0.002</td><td colspan="4">CHK'D: NMANE02 2019/04/12</td><td colspan="6">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="2">1 PLACE</td><td>±</td><td>±</td><td colspan="4">APPR: MRAMAKRISHNA 2019/04/12</td><td colspan="4">INITIAL REVISION:</td><td colspan="2">SDA-90122</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">0 PLACES</td><td>±</td><td>±</td><td colspan="4">DRWN: DB 16/07/87</td><td colspan="4">APPR: DB 1987/07/16</td><td colspan="2">SEE TABLE</td><td colspan="2">GENERAL MARKET</td><td colspan="2">4 OF 6</td></tr><tr><td colspan="2">ANGULAR TOL</td><td colspan="2">± °</td><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td colspan="2">DRAWING</td><td colspan="2">SERIES</td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="4"></td><td colspan="2"></td><td colspan="2">A3-SIZE</td><td colspan="2">90122</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr></table>																				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED				mo C-GRID III DUAL ROW RIGHT ANGLE HEADER						mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)								4 PLACES		±	±	EC NO: 615440				DOCUMENT NUMBER						DOC TYPE		DOC PART		REVISION		3 PLACES		±	±	DRWN: MKP 2019/04/11				PSD		001		M3		2 PLACES		±	0.05 ± 0.002	CHK'D: NMANE02 2019/04/12				PRODUCT CUSTOMER DRAWING						1 PLACE		±	±	APPR: MRAMAKRISHNA 2019/04/12				INITIAL REVISION:				SDA-90122								0 PLACES		±	±	DRWN: DB 16/07/87				APPR: DB 1987/07/16				SEE TABLE		GENERAL MARKET		4 OF 6		ANGULAR TOL		± °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER												A3-SIZE		90122							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																													
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED				mo C-GRID III DUAL ROW RIGHT ANGLE HEADER																																																																																																																																																																					
mm		NTS																																																																																																																																																																											
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																													
4 PLACES		±	±	EC NO: 615440				DOCUMENT NUMBER						DOC TYPE		DOC PART		REVISION																																																																																																																																																											
3 PLACES		±	±	DRWN: MKP 2019/04/11										PSD		001		M3																																																																																																																																																											
2 PLACES		±	0.05 ± 0.002	CHK'D: NMANE02 2019/04/12										PRODUCT CUSTOMER DRAWING																																																																																																																																																															
1 PLACE		±	±	APPR: MRAMAKRISHNA 2019/04/12				INITIAL REVISION:				SDA-90122																																																																																																																																																																	
0 PLACES		±	±	DRWN: DB 16/07/87				APPR: DB 1987/07/16				SEE TABLE		GENERAL MARKET		4 OF 6																																																																																																																																																													
ANGULAR TOL		± °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																											
										A3-SIZE		90122																																																																																																																																																																	
10		9		8		7		6		5		4		3		2		1																																																																																																																																																											

10		9		8		7		6		5		4		3		2		1			
		CIRCUIT SIZE	PLATING TYPE B PART NO.		PLATING TYPE C PART NO.		PLATING TYPE D PART NO.		PLATING TYPE G PART NO.				CIRCUIT SIZE	PLATING TYPE B PART NO.		PLATING TYPE C PART NO.		PLATING TYPE D PART NO.		PLATING TYPE G PART NO.	
		2 X 1	90122-0281	90122-0441	90122-0601	90122-1081	2 X 1	90122-0201	90122-0361	90122-0521			90122-1001								
DIM C ^{(±0.20) ±.008} (6.75) .266		2 X 2	▲ -0282	▲ -0442	▲ -0602	▲ -1082	2 X 2	▲ -0202	▲ -0362	▲ -0522	▲ -1002										
		2 X 3	-0283	-0443	-0603	-1083	2 X 3	-0203	-0363	-0523	-1003										
		2 X 4	-0284	-0444	-0604	-1084	2 X 4	-0204	-0364	-0524	-1004										
		2 X 5	-0285	-0445	-0605	-1085	2 X 5	-0205	-0365	-0525	-1005										
		2 X 6	-0286	-0446	-0606	-1086	2 X 6	-0206	-0366	-0526	-1006										
		2 X 7	-0287	-0447	-0607	-1087	2 X 7	-0207	-0367	-0527	-1007										
		2 X 8	-0288	-0448	-0608	-1088	2 X 8	-0208	-0368	-0528	-1008										
		2 X 9	-0289	-0449	-0609	-1089	2 X 9	-0209	-0369	-0529	-1009										
		2 X 10	-0290	-0450	-0610	-1090	2 X 10	-0210	-0370	-0530	-1010										
		2 X 11	-0291	-0451	-0611	-1091	2 X 11	-0211	-0371	-0531	-1011										
		2 X 12	-0292	-0452	-0612	-1092	2 X 12	-0212	-0372	-0532	-1012										
		2 X 13	-0293	-0453	-0613	-1093	2 X 13	-0213	-0373	-0533	-1013										
		2 X 14	-0294	-0454	-0614	-1094	2 X 14	-0214	-0374	-0534	-1014										
		2 X 15	-0295	-0455	-0615	-1095	2 X 15	-0215	-0375	-0535	-1015										
		2 X 16	-0296	-0456	-0616	-1096	2 X 16	-0216	-0376	-0536	-1016										
		DIM D ^{(±0.25) ±.010} (2.90) .114		2 X 17	-0297	-0457	-0617	-1097	2 X 17	-0217	-0377	-0537	-1017								
2 X 18	-0298			-0458	-0618	-1098	2 X 18	-0218	-0378	-0538	-1018										
2 X 19	-0299			-0459	-0619	-1099	2 X 19	-0219	-0379	-0539	-1019										
2 X 20	-0300			-0460	-0620	-1100	2 X 20	-0220	-0380	-0540	-1020										
2 X 21	-0301			-0461	-0621	-1101	2 X 21	-0221	-0381	-0541	-1021										
2 X 22	-0302			-0462	-0622	-1102	2 X 22	-0222	-0382	-0542	-1022										
2 X 23	-0303			-0463	-0623	-1103	2 X 23	-0223	-0383	-0543	-1023										
2 X 24	-0304			-0464	-0624	-1104	2 X 24	-0224	-0384	-0544	-1024										
2 X 25	-0305			-0465	-0625	-1105	2 X 25	-0225	-0385	-0545	-1025										
2 X 26	-0306			-0466	-0626	-1106	2 X 26	-0226	-0386	-0546	-1026										
2 X 27	-0307			-0467	-0627	-1107	2 X 27	-0227	-0387	-0547	-1027										
2 X 28	-0308			-0468	-0628	-1108	2 X 28	-0228	-0388	-0548	-1028										
2 X 29	-0309			-0469	-0629	-1109	2 X 29	-0229	-0389	-0549	-1029										
2 X 30	-0310			-0470	-0630	-1110	2 X 30	-0230	-0390	-0550	-1030										
2 X 31	-0311			-0471	-0631	-1111	2 X 31	-0231	-0391	-0551	-1031										
2 X 32	-0312			-0472	-0632	-1112	2 X 32	-0232	-0392	-0552	-1032										
2 X 33	-0313	-0473	-0633	-1113	2 X 33	-0233	-0393	-0553	-1033												
2 X 34	-0314	-0474	-0634	-1114	2 X 34	-0234	-0394	-0554	-1034												
2 X 35	-0315	-0475	-0635	-1115	2 X 35	-0235	-0395	-0555	-1035												
2 X 36	-0316	-0476	-0636	-1116	2 X 36	-0236	-0396	-0556	-1036												
2 X 37	-0317	-0477	-0637	-1117	2 X 37	-0237	-0397	-0557	-1037												
2 X 38	-0318	-0478	-0638	-1118	2 X 38	-0238	-0398	-0558	-1038												
2 X 39	▼ -0319	▼ -0479	▼ -0639	▼ -1119	2 X 39	▼ -0239	▼ -0399	▼ -0559	▼ -1039												
2 X 40	90122-0320	90122-0480	90122-0640	90122-1120	2 X 40	90122-0240	90122-0400	90122-0560	90122-1040												

NOTES:
FOR PLATING VARIATIONS SEE
ENG.STD. SDES-99000-0003.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS	SCALE
mm	NTS
CURRENT REV DESC: MIGRATED	
GENERAL TOLERANCES (UNLESS SPECIFIED)	
	MM INCH
4 PLACES ±	±
3 PLACES ±	±
2 PLACES ±	0.05 ± 0.002
1 PLACE ±	±
0 PLACES ±	±
ANGULAR TOL ± °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
THIRD ANGLE PROJECTION	DRAWING
SERIES	
MATERIAL NUMBER	CUSTOMER
SHEET NUMBER	

DOCUMENT STATUS

P1

RELEASE DATE

2019/04/12

12:54:07

EC NO: 615440

DRWN: MKP

CHK'D: NMANE02

APPR: MRAMAKRISHNA

INITIAL REVISION:

DRWN: DB

APPR: DB

16/07/87

1987/07/16

A3-SIZE

90122

SEE TABLE

GENERAL MARKET

5 OF 6

molex

C-GRID III
DUAL ROW RIGHT ANGLE HEADER

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SDA-90122

DOC TYPE

PSD

DOC PART

001

REVISION

M3

10		9		8		7		6		5		4		3		2		1																						
DIM C^(± 0.20) ± .008 (5.75) .226		CIRCUIT SIZE	PLATING TYPE B PART NO.	PLATING TYPE C PART NO.	PLATING TYPE D PART NO.	PLATING TYPE G PART NO.	DIM C^(± 0.20) ± .008 (6.75) .266		CIRCUIT SIZE	PLATING TYPE B PART NO.	PLATING TYPE C PART NO.	PLATING TYPE D PART NO.	PLATING TYPE G PART NO.																											
		2 X 1	90122-0241	90122-0401	90122-0561	90122-1041			2 X 1	90122-0321	90122-0481	90122-0641	90122-1121																											
		2 X 2	▲ -0242	▲ -0402	▲ -0562	▲ -1042			2 X 2	▲ -0322	▲ -0482	▲ -0642	▲ -1122																											
		2 X 3	-0243	-0403	-0563	-1043			2 X 3	-0323	-0483	-0643	-1123																											
		2 X 4	-0244	-0404	-0564	-1044			2 X 4	-0324	-0484	-0644	-1124																											
		2 X 5	-0245	-0405	-0565	-1045			2 X 5	-0325	-0485	-0645	-1125																											
		2 X 6	-0246	-0406	-0566	-1046			2 X 6	-0326	-0486	-0646	-1126																											
		2 X 7	-0247	-0407	-0567	-1047			2 X 7	-0327	-0487	-0647	-1127																											
		2 X 8	-0248	-0408	-0568	-1048			2 X 8	-0328	-0488	-0648	-1128																											
		2 X 9	-0249	-0409	-0569	-1049			2 X 9	-0329	-0489	-0649	-1129																											
		2 X 10	-0250	-0410	-0570	-1050			2 X 10	-0330	-0490	-0650	-1130																											
		2 X 11	-0251	-0411	-0571	-1051			2 X 11	-0331	-0491	-0651	-1131																											
		2 X 12	-0252	-0412	-0572	-1052			2 X 12	-0332	-0492	-0652	-1132																											
		2 X 13	-0253	-0413	-0573	-1053			2 X 13	-0333	-0493	-0653	-1133																											
		2 X 14	-0254	-0414	-0574	-1054			2 X 14	-0334	-0494	-0654	-1134																											
		2 X 15	-0255	-0415	-0575	-1055			2 X 15	-0335	-0495	-0655	-1135																											
		2 X 16	-0256	-0416	-0576	-1056			2 X 16	-0336	-0496	-0656	-1136																											
		2 X 17	-0257	-0417	-0577	-1057			2 X 17	-0337	-0497	-0657	-1137																											
		2 X 18	-0258	-0418	-0578	-1058			2 X 18	-0338	-0498	-0658	-1138																											
		2 X 19	-0259	-0419	-0579	-1059			2 X 19	-0339	-0499	-0659	-1139																											
DIM D^(± 0.25) ± .010 (4.50) .177	2 X 20	-0260	-0420	-0580	-1060	2 X 20	-0340	-0500	-0660	-1140																														
	2 X 21	-0261	-0421	-0581	-1061	2 X 21	-0341	-0501	-0661	-1141																														
	2 X 22	-0262	-0422	-0582	-1062	2 X 22	-0342	-0502	-0662	-1142																														
	2 X 23	-0263	-0423	-0583	-1063	2 X 23	-0343	-0503	-0663	-1143																														
	2 X 24	-0264	-0424	-0584	-1064	2 X 24	-0344	-0504	-0664	-1144																														
	2 X 25	-0265	-0425	-0585	-1065	2 X 25	-0345	-0505	-0665	-1145																														
	2 X 26	-0266	-0426	-0586	-1066	2 X 26	-0346	-0506	-0666	-1146																														
	2 X 27	-0267	-0427	-0587	-1067	2 X 27	-0347	-0507	-0667	-1147																														
	2 X 28	-0268	-0428	-0588	-1068	2 X 28	-0348	-0508	-0668	-1148																														
	2 X 29	-0269	-0429	-0589	-1069	2 X 29	-0349	-0509	-0669	-1149																														
	2 X 30	-0270	-0430	-0590	-1070	2 X 30	-0350	-0510	-0670	-1150																														
	2 X 31	-0271	-0431	-0591	-1071	2 X 31	-0351	-0511	-0671	-1151																														
2 X 32	-0272	-0432	-0592	-1072	2 X 32	-0352	-0512	-0672	-1152																															
2 X 33	-0273	-0433	-0593	-1073	2 X 33	-0353	-0513	-0673	-1153																															
2 X 34	-0274	-0434	-0594	-1074	2 X 34	-0354	-0514	-0674	-1154																															
2 X 35	-0275	-0435	-0595	-1075	2 X 35	-0355	-0515	-0675	-1155																															
2 X 36	-0276	-0436	-0596	-1076	2 X 36	-0356	-0516	-0676	-1156																															
2 X 37	-0277	-0437	-0597	-1077	2 X 37	-0357	-0517	-0677	-1157																															
2 X 38	-0278	-0438	-0598	-1078	2 X 38	-0358	-0518	-0678	-1158																															
2 X 39	▼ -0279	▼ -0439	▼ -0599	▼ -1079	2 X 39	▼ -0359	▼ -0519	▼ -0679	▼ -1159																															
2 X 40	90122-0280	90122-0440	90122-0600	90122-1080	2 X 40	90122-0360	90122-0520	90122-0680	90122-1160																															
NOTES: FOR PLATING VARIATIONS SEE ENG.STD. SDES-99000-0003.																																								
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS mm SCALE NTS GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>MM</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td>±</td></tr><tr><td>3 PLACES</td><td>±</td><td>±</td></tr><tr><td>2 PLACES</td><td>± 0.05</td><td>± 0.002</td></tr><tr><td>1 PLACE</td><td>±</td><td>±</td></tr><tr><td>0 PLACES</td><td>±</td><td>±</td></tr><tr><td>ANGULAR TOL</td><td>± °</td><td></td></tr></table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS CURRENT REV DESC: MIGRATED EC NO: 615440 DRWN: MKP CHK'D: NMANE02 APPR: MRAMAKRISHNA 16/07/87 2019/04/11 2019/04/12 2019/04/12 INITIAL REVISION: DRWN: DB APPR: DB THIRD ANGLE PROJECTION DRAWING SERIES DOCUMENT NUMBER SDA-90122 DOC TYPE PSD DOC PART 001 REVISION M3 PRODUCT CUSTOMER DRAWING MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL MARKET SHEET NUMBER 6 OF 6																					MM	INCH	4 PLACES	±	±	3 PLACES	±	±	2 PLACES	± 0.05	± 0.002	1 PLACE	±	±	0 PLACES	±	±	ANGULAR TOL	± °	
	MM	INCH																																						
4 PLACES	±	±																																						
3 PLACES	±	±																																						
2 PLACES	± 0.05	± 0.002																																						
1 PLACE	±	±																																						
0 PLACES	±	±																																						
ANGULAR TOL	± °																																							
DOCUMENT STATUS		P1	RELEASE DATE	2019/04/12	12:54:07	7		6		5		4		3		2		1																						