


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

D

C

B

A



LOW INTENSITY LED PROFILE

520	COLD WHITE	FSMIJ65AW04	5-2213818-6
520	RED	FSMIJ65AR04	5-2213818-5
520	RED ORANGE	FSMIJ65A004	5-2213818-4
520	SOFT ORANGE	FSMIJ65AA04	5-2213818-3
520	YELLOW	FSMIJ65AY04	5-2213818-2
520	YELLOW GREEN	FSMIJ65AG04	5-2213818-1
520	PURE GREEN	FSMIJ65APG04	5-2213818-0
520	BLUE	FSMIJ65AB04	4-2213818-9
260	COLD WHITE	FSMIJ63AW04	4-2213818-0
260	RED	FSMIJ63AR04	3-2213818-9
260	RED ORANGE	FSMIJ63A004	3-2213818-8
260	SOFT ORANGE	FSMIJ63AA04	3-2213818-7
260	YELLOW	FSMIJ63AY04	3-2213818-6
260	YELLOW GREEN	FSMIJ63AG04	3-2213818-5
260	PURE GREEN	FSMIJ63APG04	3-2213818-4
260	BLUE	FSMIJ63AB04	3-2213818-3
160	COLD WHITE	FSMIJ62AW04	2-2213818-4
160	RED	FSMIJ62AR04	2-2213818-3
160	RED ORANGE	FSMIJ62A004	2-2213818-2
160	SOFT ORANGE	FSMIJ62AA04	2-2213818-1
160	YELLOW	FSMIJ62AY04	2-2213818-0
160	YELLOW GREEN	FSMIJ62AG04	1-2213818-9
160	PURE GREEN	FSMIJ62APG04	1-2213818-8
160	BLUE	FSMIJ62AB04	1-2213818-7
100	COLD WHITE	FSMIJ61AW04	2213818-8
100	RED	FSMIJ61AR04	2213818-7
100	RED ORANGE	FSMIJ61A004	2213818-6
100	SOFT ORANGE	FSMIJ61AA04	2213818-5
100	YELLOW	FSMIJ61AY04	2213818-4
100	YELLOW GREEN	FSMIJ61AG04	2213818-3
100	PURE GREEN	FSMIJ61APG04	2213818-2
100	BLUE	FSMIJ61AB04	2213818-1
OPERATING FORCE		LED COLOR	TE DESCRIPTIVE PART NUMBER
			TE PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -
FINISH -

DWN
RAVI.S
16MAR2016

CHK
R. Hill
16MAR2016

APVD
R. Hill
16MAR2016

PRODUCT SPEC

APPLICATION SPEC

WEIGHT
-

CUSTOMER DRAWING

16MAR2016

NAME

SIZE
A2

CAGE CODE
00779

DRAWING NO
C=2213818

SCALE
1:1

TE Connectivity

ILLUMINATED TACTILE SWITCH
THROUGH-HOLE MOUNTED

DRAWING NO
C=2213818

SHEET
2 of 3

REV
B


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

C

B

A



HIGH INTENSITY LED PROFILE

520	COLD WHITE	FSMIJ65BW04	6-2213818-4
520	RED	FSMIJ65BR04	6-2213818-3
520	RED ORANGE	FSMIJ65B□04	6-2213818-2
520	SOFT ORANGE	FSMIJ65BA04	6-2213818-1
520	YELLOW	FSMIJ65BY04	6-2213818-0
520	YELLOW GREEN	FSMIJ65BG04	5-2213818-9
520	PURE GREEN	FSMIJ65BPG04	5-2213818-8
520	BLUE	FSMIJ65BB04	5-2213818-7
260	COLD WHITE	FSMIJ63BW04	4-2213818-8
260	RED	FSMIJ63BR04	4-2213818-7
260	RED ORANGE	FSMIJ63B□04	4-2213818-6
260	SOFT ORANGE	FSMIJ63BA04	4-2213818-5
260	YELLOW	FSMIJ63BY04	4-2213818-4
260	YELLOW GREEN	FSMIJ63BG04	4-2213818-3
260	PURE GREEN	FSMIJ63BPG04	4-2213818-2
260	BLUE	FSMIJ63BB04	4-2213818-1
160	COLD WHITE	FSMIJ62BW04	3-2213818-2
160	RED	FSMIJ62BR04	3-2213818-1
160	RED ORANGE	FSMIJ62B□04	3-2213818-0
160	SOFT ORANGE	FSMIJ62BA04	2-2213818-9
160	YELLOW	FSMIJ62BY04	2-2213818-8
160	YELLOW GREEN	FSMIJ62BG04	2-2213818-7
160	PURE GREEN	FSMIJ62BPG04	2-2213818-6
160	BLUE	FSMIJ62BB04	2-2213818-5
100	COLD WHITE	FSMIJ61BW04	1-2213818-6
100	RED	FSMIJ61BR04	1-2213818-5
100	RED ORANGE	FSMIJ61B□04	1-2213818-4
100	SOFT ORANGE	FSMIJ61BA04	1-2213818-3
100	YELLOW	FSMIJ61BY04	1-2213818-2
100	YELLOW GREEN	FSMIJ61BG04	1-2213818-1
100	PURE GREEN	FSMIJ61BPG04	1-2213818-0
100	BLUE	FSMIJ61BB04	2213818-9
OPERATING FORCE	LED COLOR	TE DESCRIPTIVE PART NUMBER	TE PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAVI.S 16MAR2016	TE Connectivity	
DIMENSIONS: mm		CHK R. Hill 16MAR2016		
		APVD R. Hill 16MAR2016	NAME ILLUMINATED TACTILE SWITCH THROUGH-HOLE MOUNTED	
		PRODUCT SPEC		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	SIZE A2	
0 PLC ± - 1 PLC ± - 2 PLC ± +/- 0.30 3 PLC ± - 4 PLC ± - ANGLES ± -		WEIGHT	CAGE CODE 00779	DRAWING NO C=2213818
MATERIAL -		FINISH -	SCALE 1:1	SHEET 3 of 3
		CUSTOMER DRAWING	RESTRICTED TO -	REV B