

PIEZO BUZZER

Customer	
Customer P/O	
Bestar Model Name	BPT-380X-S
Product No.	041001
Issue No.	BS/TEP01.017A
Issue Date	02/07/01

Approval:

- 1.Characteristic
- 2.Dimension
- 3.Reliability Test



BESTAR ELECTRONICS INDUSTRY CO.,LTD
TianAn Industry Park4/F,Site B ChangZhou New District
Tel:86-519-5103228
Fax:86-519-5131010
E-Mail:wu@be-star.com
Http:www.be-star.com

BPT-380X-S

1. Characteristic

Electrical and Mechanical Characteristics



Item	Unit	Specifications
Rated Voltage	V	12
Operating Voltage	V	6...28
Operating Current (max)	mA	4/6V
		18/28V
Sound Output at 60cm(min)	dB	70 /6V
		85 /28V
Resonant Frequency	Hz	2900 ± 500
Tone		Continuous+Fast Pulse
Operating Temperature	°C	-20...+60
Storage Temperature	°C	-30...+70
Weight	g	38.5

This print and information therein are proprietary to Bestar Electronics Industry Co., Ltd. and shall not be used in whole or in part without its written content 041001

DIS .		DATE		Page:1 of 3 3rd angle projection	BPT-380X-S
CHEC.		DATE			Piezo Buzzer
APPR.		DATE			DRG NO BS/TEP01.017A


BESTAR ELECTRONICS INDUSTRY CO.,LTD

TianAn Industry Park 4/F,Site B ChangZhou New District

BPT-380X-S

2. Drawing

Tolerance:± 0.5



DIS.		DATE		Page:2 of 3	BPT-380X-S
CHEC.		DATE		3rd angle projection	Piezo Buzzer
APPR.		DATE			DRG NO BS/TEP01.017A



BESTAR ELECTRONICS INDUSTRY CO.,LTD
TianAn Industry Park 4/F,Site B ChangZhou New District

BPT-380X-S

3. Reliability test

3.1 High temperature test

Temperature

+70° C

Duration

96hrs

3.2 Low temperature test

Temperature

-30° C


Duration

96hrs

3.3 Temperature cycle test

Cycles


5



3.4 Humidity cycle test

Cycles

5



all these tests above should be measured after leaving normal temperature for 2hrs.

3.5 Drop test

Height

70cm

(to 10mm thickness woodenboard)

Direction

3

Notice: All specification must be satisfied in this condition.

DIS.

DATE

Page:3 of 3

BPT-380X-S

CHEC.

DATE

3rd angle

APPR.

DATE

projection

Piezo Buzzer



BESTAR ELECTRONICS INDUSTRY CO.,LTD

TianAn Industry Park 4/F,Site B ChangZhou New District

DRG NO
BS/TEP01.017A