

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0638258400

Status:


Active

Overview:

Application Tooling

Description:

Hand Tool for MX64 ISO Terminal



Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207129
Comments	Die sets are not sold separately; the complete hand tool needs to be ordered to obtain the die set. Type: 4A Crimp
Function	Global
Geographic Area	Manual
Level of Automation	applicationtooling@molex.com
More Detailed Tech Information	Application Tooling
Overview	PremiumGrade
Product Name	Hand Crimp Tool
Tool Type	887191247755
UPC	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.
Warranty Disclaimer	
Material Info	
Reference - Drawing Numbers	
Application Tooling Documents	ATS-6382584HM, TM-638000029-001

EU ELV	
Not Relevant	
EU RoHS	China RoHS
Compliant	
REACH SVHC	
Not Reviewed	
Halogen-Free Status	
Not Relevant	
For more information, please visit Contact US	
China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

207129 Series

Use With

33467 , 33468 , 34736 MX64 ISO Terminal, 0.35mm2 and 0.50-0.75mm2 wire

Application Tooling Description	FAQ Product #
2.54mm Pitch MX64 Terminal, Gold (Au) Plating, 0.35mm2 Wire, Left ReelPayoff, Also used with MX123 Female Receptacle Housing	334670021
2.54mm Pitch MX64 Terminal, Gold (Au) Plating, 0.35mm2 Wire, Right Reel Payoff, Also used with MX123 Female Receptacle Housing	334670022
2.54mm Pitch MX64 Terminal, Gold (Au) Plating,	334670023

	0.50-0.75mm2 Wire, Left Reel Payoff, Also used with MX123 Female Receptacle Housing 2.54mm Pitch <u>334670024</u> MX64 Terminal, Gold (Au) Plating, 0.50-0.75mm2 Wire, Right Reel Payoff, Also used with MX123 Female Receptacle Housing 2.54mm Pitch MX64 <u>334680021</u> Terminal, Tin (Sn) Plating, 0.35mm2 Wire, Left Reel Payoff, Also used with MX123 Female Receptacle Housing 2.54mm Pitch MX64 <u>334680022</u> Terminal, Tin (Sn) Plating, 0.35mm2 Wire, Right Reel Payoff, Also used with MX123 Female Receptacle Housing 2.54mm Pitch <u>334680023</u> MX64 Terminal, Tin (Sn) Plating, 0.50-0.75mm2 Wire, Left Reel Payoff, Also used with MX123 Female Receptacle Housing 2.54mm Pitch <u>334680024</u> MX64 Terminal, Tin (Sn) Plating, 0.50-0.75mm2 Wire, Right Reel Payoff, Also used with MX123 Female Receptacle Housing 2.54mm Pitch MX64 <u>347360025</u> Terminal, Silver Plating, 0.35mm², Left Reel Payoff, Also used with MX123 Female Receptacle Housing 2.54mm Pitch MX64 <u>347360026</u> Terminal, Silver Plating, 0.35mm², Right Reel Payoff, Also used with MX123 Female Receptacle Housing 2.54mm Pitch <u>347360027</u> MX64 Terminal, Silver Plating, 0.50-0.75mm², Left Reel Payoff, Also used with MX123 Female Receptacle Housing
--	---

2.54mm Pitch
MX64 Terminal,
Silver Plating,
0.50-0.75mm², Right
Reel Payoff, Also
used with MX123
Female Receptacle
Housing

347360028

This document was generated on 12/17/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION