



Copper Core Mini-ITX Cooler for Intel

30mm heatsink with embedded S-Flow fan provides low noise ultra compact cooling solution for Intel LGA775 and LGA115X processors in mini-ITX and micro-ATX chassis.

Product Code: AK-CCE-7106HP

Where to Buy 

[OVERVIEW](#)
[SPECIFICATION](#)
[REVIEWS](#)
[SUPPORT](#)
[RELATED PRODUCTS](#)


Socket Type	Intel LGA775, LGA1150, LGA1151, LGA1155, LGA1156, LGA1200
Suggestion TDP (W)	73
Cooler Dimension	87.2 x 85.2 x 29.5 mm
Heatsink Material	Aluminium fins with copper core
Installation	Push-pins
Weight	220g
Product Code	AK-CCE-7106HP

Dimensions	Ø74 x 15 mm
Bearing	HD Bearing
Fan Speed	600 - 3000 RPM
Max Airflow	33.50 CFM
Max Air Pressure	3.76 mm-H2O

Noise Level	16 - 28.71 dB(A)
Current Rating for Fan	0.19A
Voltage Rating for Fan	DC 12V
Fan Connector	4-pin PWM
Fan Life Expectancy	50,000 hours
Warranty	2 years

AKASA (@akasa_tech)



DISCOVER

- About Akasa
- Where to Buy
- Press Room

SUPPORT

- Legacy Products
- Contact Us
- Terms and Privacy

STAY UP TO DATE!

Subscribe now for free alerts on newly added products, exclusive deals and more.



