



дверной поворотный привод для аварийного отключения МЭК IP65 с блокировкой двери принадлежность для: 3VM 100/160

версия	
торговая марка изделия	SENTRON
наименование изделия	Принадлежности
исполнение изделия	Поворотный привод с выводом на дверь
принадлежности	Поворотный привод муфты двери
Общие технические данные	
степень защиты IP	IP65
Механическая конструкция	
высота	70 mm
ширина	77 mm
Масса нетто ME	543 g
Сертификаты	
General Product Approval	Test Certificates

[Miscellaneous](#)




[Confirmation](#)



[Type Test Certificates/Test Report](#)

Test Certificates	Maritime application	other	Environment		
Miscellaneous		Confirmation		Environmental Conformations	Environmental Conformations

Дополнительная информация
Информация об упаковке
Информация об упаковке
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/ru/ru/Catalog/product?mlfb=3VM9117-0FK25
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/ru/ps/3VM9117-0FK25
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VM9117-0FK25
CAX-Online-Generator
https://www.siemens.com/cax
Tender specifications



последнее изменение:

15.06.2025

